



Ramset™ Tools & Accessories



Introduction to Direct Fixing Tools and Accessories

Ramset™ has provided the direct fixing market with innovative Gas Technology & Powder Actuated tools saving valuable time on site.

We have a range of tools to suit different direct fixing applications across:

- Ceiling & Partitioning
- Insulation
- Electrical
- Plumbing
- Formwork
- Pest Control



Selection Guide

Use this guide to quickly identify the right tool for your application, then compare specifications below.

Specification	Gas Technology Tools					Powder Actuated Tools	
	CableMaster™ C-Plus	TrakFast™ 65	TrakFast™ C-Plus®	TrakFast™ 800 Plus	InsulFast™ T4 Compact	JobMaster™	FrameBoss™ XPM
							
Weight According EPTA (kg)	3.4kg with battery	4.1kg with battery	3.4kg with battery	4.8kg with battery	3.3kg with battery	-	3.99kg with magazine 3.7kg without
Net Width Dimension	112mm	113mm	112mm	113mm	112mm	-	-
Net Length Dimension	345mm	407mm	345mm	520mm	515mm	-	525mm
Power (Impact Force)	95J	105J	95J	100J	95J	-	400J
Actuation Force	4.2kg	4.5kg	4.5kg	4.5kg	4.2kg	-	-
Fastener Length Range	15 - 27mm	15 - 65mm	15 - 27mm	15 - 40mm	n/a	25 - 75mm	25 - 75 in magazine mode 25 - 100 in single shot mode
Vibration (EN ISO 8662-1)hav	4.9m/s ²	4.4m/s ²	4.9m/s ²	4.4m/s ²	5.3m/s ²	-	-
Fuel Cell Capacity	750 shots approx	750 shots approx	750 shots approx	750 shots approx	750 shots approx	-	-
Battery Charge Capacity	10000 shots approx	10000 shots approx	10000 shots approx	3500 shots approx	10000 shots approx	-	-

Application	Recommended Tool	Alternative Tool	Alternative Tool 2
Cable Clips & Electrical Fixings	CableMaster™ C-Plus®	TrakFast™ C-Plus®	
Track & Partiton	TrakFast™ C-Plus®	TrakFast™ 65	TrakFast™ 800 Plus
General Steel & Concrete Fixing	TrakFast™ C-Plus®	TrakFast™ 65 / JobMaster™	
Insulation Board Fixing	InsulFast™ T4 Compact		
Membrane & Mesh Fixing	TrakFast™ C-Plus®	TrakFast™ 65	
General Steel & Concrete Fixing	TrakFast™ 65	JobMaster™	FrameBoss™ XPM
Bottom Plate Fixing	TrakFast™ 65	JobMaster™	FrameBoss™ XPM
Heavy Duty Steel-to-Concrete Fixing	FrameBoss™ XPM		

Gas Technology Tools

Employ the latest gas technology to fasten to concrete, steel, and other common building materials.

Our Gas Technology tools are cordless, extremely fast and include automatic power adjustment.

CableMaster™

TrakFast™

InsulFast™



GAS TECHNOLOGY TOOLS

CableMaster™ C-Plus

BOOST PRODUCTIVITY WITH THE RAMSET CABLEMASTER C-PLUS.

The fast, durable and reliable direct fixing system for plumbing, data and electrical installations enables a fixing rate 8x faster than traditional drill and fix, and up to 10,000 shots per battery charge.

Features & Benefits

- Massive 95J power – Consistent fixings even in extreme applications
- Compact design with a 20 pin magazine that allows the tool to fit into tight spaces
- Battery Gauge – Helps to avoid running out of battery power
- Fuel Cell Gauge – Always know when to change fuel cells
- Li-Ion Battery – Fast charge, long life
- Tool-less Depth of Drive Adjustment
- Power Saving Technology – Isolates battery when tool is not in use
- 30 pin magazine accessory available for volume applications
- Easily removable fastener guide and magazine
- Greater tool clearance – for close to edge applications



Technical Data

Weight According EPTA (kg)	3.4kg (with battery)
Net Depth Dimension	315mm
Net Length Dimension	345mm
Net Width Dimension	112mm
Power (Impact Force)	95J
Magazine Capacity	20 pins
Actuation Force	4.2kg
Intermittent Operation	2 fixings per second
Fuel Cell Capacity	750 shots (approx)
Battery Charge Capacity	10000 shots (approx)
Battery Voltage	3.7V Lithium-Ion
Battery Amperage	2.5Ah
Battery Charge Time	105min
Power Regulation	Automatic
Operating Temperature Range	-15 degrees - +49 degrees
Fixings Per Sec	2
Fastener Length Range	15 - 27mm in strip
Vibration (EN ISO 8662-11)hav	4.9m/s2

A complete accessories listing for this product can be found on page 10

Item Code	Description
CMCPLUS	CableMaster™ C-Plus

Applications



Substrates
 Concrete, Composite Steel Decking, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Hollow Block Wall, Reinforced Concrete, Reinforced Prefabricated Concrete

Application Example

GAS TECHNOLOGY TOOLS

TrakFast™ 65

THE MASTER OF VERSATILITY

The Ramset™ TrakFast™ 65 is the master of versatility. With increased power, a well-balanced body and greater fastener capacity, the TrakFast™ 65 suits all track & partitioning jobs, and will tackle framing applications including bottom plate pinning into concrete with ease.

Features & Benefits

- For use across all base materials and various applications
- Lightweight at 4.1kg
- 105J of power
- 15mm to 65mm pin lengths
- 10,000 shots per battery charge
- Minimises dust exposure & mitigates the need for pre-drilling
- Removable support leg ensures tool is at 90 degrees to work surface
- Tool-less adjustment so you can easily set depth of drive
- Fuel and battery gauges avoids running out of battery or gas
- Great line of sight with a slimline nose design
- Start & Go Technology which is a power saving feature that isolates the battery when not in use
- Greater tool clearance - for close to edge applications



Technical Data

Weight According EPTA (Kg)	4.1kg With Battery
Net Depth Dimension	309mm
Net Length Dimension	407mm
Net Width Dimension	113mm
Power (Impact Force)	105J
Magazine Capacity	30
Actuation Force	4.5kg
Fuel Cell Capacity (Pins)	750
Battery Charge Capacity (Pins)	10000
Operating Temperature Range	-15 degrees to +49 degrees
Fastener Length Range	15-65mm
Fixings Per Hour	1000
Fixings Per Sec	2
Vibration (EN ISO 8662-1)hav	4.4m/s2

A complete accessories listing for this product can be found on page 10

Item Code	Description
TF65	TrakFast™ 65

Applications



Application Example

Substrates
Concrete, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Hollow Block Wall, Reinforced Concrete, Reinforced Prefabricated Concrete,

GAS TECHNOLOGY TOOLS

TrakFast™ C-Plus®

LIGHTWEIGHT, COMPACT POWER

The TrakFast™ C-Plus® is a lightweight, compact cordless gas-powered tool designed to support the installation of steel track and partitioning. Its sleek body allows it to be used in hard-to-reach places with comfort. Supported by 95J of power, the pins will pierce into concrete, masonry and steel without fuss ensuring you maintain productivity on site. Whether it's floors, walls or ceilings, its light work with the TrakFast™ C-Plus®

Features & Benefits

- 95J power supporting consistent fixing even in extreme applications
- Compact design with a 30-pin magazine to easily fit into tight spaces
- Tool-less adjustment to easily set depth of drive
- Minimises dust exposure and mitigates the need for pre-drilling
- 10,000 shots per fast battery charge
- Fuel and battery gauges to avoid running out of battery or gas
- Stop & Go Technology which is a power saving feature that isolates battery when not in use
- Easily removable fastener guide and magazine
- Greater tool clearance – for close to edge applications



Technical Data

Weight According EPTA (Kg)	3.4kg With Battery
Net Depth Dimension	315mm
Net Length Dimension	345mm
Net Width Dimension	112mm
Power (Impact Force)	95J
Magazine Capacity	30
Actuation Force	4.5kg
Fuel Cell Capacity (Pins)	750
Battery Charge Capacity (Pins)	10000
Operating Temperature Range	-15 degrees to +49 degrees
Fastener Length Range	15-27mm
Fixings Per Hour	1000
Fixings Per Sec	2
Vibration (EN ISO 8662-11)hav	4.9m/s2

A complete accessories listing for this product can be found on page 10

Applications



Application Example

Substrates
Concrete, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Hollow Block Wall, Reinforced Concrete, Reinforced Prefabricated Concrete

GAS TECHNOLOGY TOOLS

TrakFast™ 800 Plus

EFFICIENT AND POWERFUL, GETS THE JOB DONE QUICKLY

Work smarter and maximise your productivity with the Ramset TrakFast 800 Plus. Remaining a light 3.8kg, the streamlined design and excellent line of sight allow for easy access in awkward spaces. Featuring a 50 pin magazine, you can work more and charge less, with 3500 shots per battery charge. Designed for the quick and safe installation of steel partitioning track, pest control mesh and formwork systems.

Features & Benefits

- Massive 100J power – consistent fixings even in extreme applications
- 50 pin magazine – reduces downtime in loading the magazine
- Battery Gauge – helps avoid running out of battery power
- Fuel Cell Gauge – always know when to change fuel cells
- Lithium Battery – fast charge, long life
- Tool-less Depth of Drive Adjustment
- Power Saving Technology – isolates battery when tool is not in use
- Optional 20 pin magazine for tight spaces
- Easily removable fastener guide and magazine
- Greater tool clearance – allows the tool to fit in close to edge applications
- Great line of sight with a slimline nose design
- Start & Go Technology which is a power saving feature that isolates the battery when not in use



Technical Data

Weight According EPTA (Kg)	4.8kg With Battery
Net Depth Dimension	309mm
Net Length Dimension	520mm
Net Width Dimension	113mm
Power (Impact Force)	100J
Magazine Capacity	50
Actuation Force	4.5kg
Fuel Cell Capacity (Pins)	500
Battery Charge Capacity (Pins)	3500
Operating Temperature Range	-15 degrees to +49 degrees
Fastener Length Range	15-40mm
Fixings Per Hour	1000
Fixings Per Sec	2
Vibration (EN ISO 8662-11)hav	4.4m/s2
Sound pressure level	96dB(A)
Sound power level	109dB(A)

A complete accessories listing for this product can be found on page 11

Applications



Application Example

Substrates

Concrete, Composite Steel Decking, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Hollow Block Wall, Reinforced Concrete, Reinforced Prefabricated Concrete

GAS TECHNOLOGY TOOLS

InsulFast™ T4 Compact

LIGHTER AND TOUGHER

Lighter and tougher, the InsulFast T4 Compact system delivers 95J of power for increased productivity and reduced fatigue. Built compact and strong, it's the go-to choice for tradies who mean business. Designed for use in overhead fixing of insulation with virtually no recoil.

Features & Benefits

- Lithium-ion battery provided up to 10,000 shots per charge
- 95J power capacity
- Saves time and labour costs over the traditional insulation fastening method.
- Fasten the insulation directly to the concrete, hollow block and steel studs
- Reduced operator fatigue with an ergonomic and compact design
- No need for glue and insulation anchors
- Consistent and clean fastening
- Fasten insulation into tight spaces
- Virtually no recoil
- Fasten 500-750 shots with each fuel cell
- Multi-functional 180° rotating belt hook
- Start & Go system: energy saving, "Self cut-off" when it is not used for 1min
- Auto dosage system, providing consistency every time



Technical Data

Weight According EPTA (Kg)	3.3kg With Battery
Net Width Dimension	112mm
Net Length Dimension	515mm
Power (Impact Force)	95J
Intermittent Operation	1 pin per second
Actuation Force	4.2
Fuel Cell Capacity (Pins)	500-750
Battery Charge Capacity (Pins)	10000
Operating Temperature Range	-15 degrees to +49 degrees
Fixings Per Sec	2
Vibration (EN ISO 8662-11)hav	5.3m/s2
Sound pressure level	96dB(A)

A complete accessories listing for this product can be found on page 11

Item Code	Description
T4IF-CT	InsulFast™ T4 Compact

Applications



Application Example

Substrates
Concrete, Composite Steel Decking, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Hollow Block Wall, Reinforced Concrete, Reinforced Prefabricated Concrete

Gas Accessories

CableMaster™ C-Plus

Item Code	Description
CRADLECMPLUS	Cradle only to suit CableMaster™ 800 Plus /C-Plus (no pole or tool)
CRADLECM800PLUS	CableMaster™ 800 Cradle
V4-3	3ft PulaLift™ 800 Pole with Trigger
V4-EXT	3ft PulaLift™ 800 Pole extension
019336	Pulsa 800/800 Plus Li-Ion Battery
018546	Battery Charger (includes power supply)
014641	Magnetic Washer Adapter

Standard Gas Pins And Fuel Cell pack

Item	Description	Qty
P8C620	Standard Pin 20mm	500
P8C625	Standard Pin 25mm	500
P8C630	Standard Pin 30mm	500
P8C620	Standard Pin 20mm	500
P8C625	Standard Pin 25mm	500

Premium Gas Pins And Fuel Cell pack

Item	Description	Qty
P8HC615	Premium Hard Concrete & Steel 15mm	500
P8HC617	Premium Hard Concrete & Steel 17mm	500
P8HC622	Premium Hard Concrete & Steel 22mm	500
P8HC627	Premium Hard Concrete & Steel 27mm	500

Contractor packs

Item	Description	Qty
P8CPGCL	Contractor Pack - ClipElec + Hard Conc. Pins 22mm	500
P8CPGCLHC617	Contractor Pack - ClipElec + Hard Conc. Pins 17mm	500
P8CPGDLHC617	Contractor Pack - DataLec Clip + Hard Conc. Pins 17mm	500
P8CPGDLHC622	Contractor Pack - DataLec Clip + Hard Conc. Pins 22mm	500
P8CPGCT	Contractor Pack - CTClip + Hard Conc. Pins 22mm	500
P8CPGDAS20	C/Pack - Direct Align H/saddle 20mm	400
P8CPGDAS25	C/Pack - Direct Align H/saddle 25mm	400
P8CPGTRH	Contractor Pack - Threaded Rod Brkt.	400
P8CPGCWB	Contractor Pack - Catenary Wire Brkt.	400
SPMW	Strap & Plate Mounting Washer	500

TrakFast™ 65

Item Code	Description
019336	Pulsa 800/800 Plus Li-Ion Battery
018546	Battery Charger (includes power supply)
014641	Magnetic Washer Adapter
B20544L	Gas Tool Degreaser and Lubricant

Standard Gas Pins And Fuel Cell pack

Item	Description	Qty
P8C620	Standard Concrete Pins 20mm	500
P8C625	Standard Concrete Pins 25mm	500
P8C630	Standard Concrete Pins 30mm	500
P8C635	Standard Concrete Pins 35mm	500

Premium Gas Pins And Fuel Cell pack

Item	Description	Qty
P8HC615	Premium Hardened Concrete Pins 15mm	500
P8HC617	Premium Hardened Concrete Pins 17mm	500
P8HC622	Premium Hardened Concrete Pins 22mm	500
P8HC627	Premium Hardened Concrete Pins 27mm	500
P8HC632	Premium Hardened Concrete Pins 32mm	500
P8HC650	Premium Hardened Concrete Pins 50mm	500
P8HC657	Premium Hardened Concrete Pins 57mm	500
P8HC665	Premium Hardened Concrete Pins 65mm	500

Spiral Knurled Pins For Fixing Plywood To Steel

Item	Description	Qty
P8PLY138	Hard Steel Spiral Knurled Pins 35mm	1000

Note: Comes in 10-pin strip collation with 2x P800 Fuel Cell

Accessories for Magnetic Washer Adaptor

Item	Description	Qty
011204	25mm Washers	1000

TrakFast™ C-Plus®

Item Code	Description
019336	Li-Ion Battery
018546	All-in-one Li-Ion Battery Charger
019891	Magnetic Washer Adapter for TFCPLUS
B205544L	Gas Tool Degreaser and Lubricant

Standard Gas Pins And Fuel Cell pack

Item	Description	Qty
P8C620	Standard Pin 20mm	500
P8C625	Standard Pin 25mm	500
P8C630	Standard Pin 30mm	500
P8C620	Standard Pin 20mm	500
P8C625	Standard Pin 25mm	500

Premium Gas Pins And Fuel Cell pack

Item	Description	Qty
P8HC615	Premium Hardened Concrete Pins 15mm	500
P8HC617	Premium Hardened Concrete Pins 17mm	500
P8HC622	Premium Hardened Concrete Pins 22mm	500
P8HC627	Premium Hardened Concrete Pins 27mm	500

Note: Comes in 10-pin strip collation with 2x P800 Fuel Cell

Accessories for Magnetic Washer Adaptor

Item	Description	Qty
011204	25mm Washers	1000

TrakFast™ 800 Plus

Item Code	Description
019336	Pulsa 800/800 Plus Battery
018546	Battery Charger (includes power supply)
018424	TrakFast 800 Fastener Guide
014641	Magnetic Washer Adapter

Standard Gas Pins And Fuel Cell pack

Item	Description	Qty
P8C620	Standard Concrete Pins 20mm	500
P8C625	Standard Concrete Pins 25mm	500
P8C630	Standard Concrete Pins 30mm	500
P8C635	Standard Concrete Pins 35mm	500

Premium Gas Pins And Fuel Cell pack

Item	Description	Qty
P8HC615	Premium Hardened Concrete Pins 15mm	500
P8HC617	Premium Hardened Concrete Pins 17mm	500
P8HC622	Premium Hardened Concrete Pins 22mm	500
P8HC627	Premium Hardened Concrete Pins 27mm	500
P8HC632	Premium Hardened Concrete Pins 32mm	500

Spiral Knurled Pins For Fixing Plywood To Steel

Item	Description	Qty
P8PLY138	Hard Steel Spiral Knurled Pins 35mm	1000

Note: Comes in 10-pin strip collation with 2x P800 Fuel Cell

Accessories for Magnetic Washer Adaptor

Item	Description	Qty
011204	25mm Washers	1000

InsulFast™ T4 Compact

Item Code	Description
019336	Pulsa 800/800 Plus Battery
018546	Battery Charger (includes power supply)

InsulFast™ T4 COMPACT Insulation Fasteners

Item Code	Description	Qty
T4IG625	White anchor 25mm pin	500
T4IG638	White anchor 38mm pin	500
T4IG650	White anchor 50mm pin	500
T4IG663	White anchor 63mm pin	500
T4IG675	White anchor 75mm pin	500
T4IG100 (White)	White anchor 100mm pin	500

Note: Comes with 1x fuel cell

Powder Actuated Tools

Innovative, powerful, easy to use, and specifically designed for tough applications.

Powder Actuated tools provide a fast method for fixing common building materials to concrete, masonry, and steel.

JobMaster™

FrameBoss™



POWDER ACTUATED TOOLS

JobMaster™

POWER, FLEXIBILITY AND COMFORT

Engineered with power, flexibility and comfort to maximise job site speed. The Ramset JobMaster is a semi-automatic, single-shot powder-actuated tool built for speed and versatility. Ideal for framing and fixing, it powers through timber-to-concrete or steel applications. With adjustable load strength, a silencer for reduced noise, and an ergonomic grip for comfort, the JobMaster delivers precision, efficiency, and control on the job site. For use in residential framing, MEP applications, track and partition to concrete and steel.

Features & Benefits

- Adjustable power shot strength
- 10-strip high power loads
- Drives pins up to 75mm in length
- Ergonomic grip and padded handle design
- Silencer to reduce job site noise
- Case includes reusable storage case, safety glasses, spall guard, wire cleaning brushes and common replacement parts (barrel retention, clip and piston)



Technical Data

Weight According EPTA (Kg)
Net Depth Dimension
Net Length Dimension
Power (Impact Force)
Intermittent Operation
Actuation Force
Fuel Cell Capacity (Pins)

Operating Temperature Range
Fixings Per Sec

A complete accessories listing for this product can be found on page 15

Item Code	Description
JMPLUS	JobMaster™

Applications



Application Example

Substrates
 Concrete, Composite Steel Decking, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Reinforced Concrete, Reinforced Prefabricated Concrete

POWDER ACTUATED TOOLS

FrameBoss™ XPM

POWER, FLEXIBILITY AND COMFORT

The FrameBoss™ XPM is a powerful, semi-automatic Powder Actuated Tool designed for maximum efficiency. Capable of fixing up to 10 pins without reloading or manual cycling, it delivers 400 joules of impact energy for faster, effortless operation. Equipped with an automatic piston return system and an adjustable magazine that locks into multiple positions, this tool is ideal for confined spaces

Features & Benefits

- Automatic piston return
- No manual cycling required
- Easy to maintain on site
- 10 Pin magazine and single shot fastener guide
- 100mm single shot capacity
- 75mm magazine capacity
- 400J maximum impact energy
- Power and depth of drive adjustment



Technical Data	
Weight	3.99kg with magazine 3.7kg without
Impact Force	400J
Fixing Capacity:	
Timber to Concrete	75mm
Timber to Steel	50mm
Metal to Concrete	3mm
Metal to Steel	3mm
Pin Capacity (Single shot)	up to 100mm
Pin Capacity (Magazine)	up to 75mm
Overall Length	525mm
<i>A complete accessories listing for this product can be found on page 15</i>	

Applications



Application Example

Substrates

Concrete, Composite Steel Decking, Solid Brick, Precast Concrete, Steel Pre-stressed Concrete, Reinforced Concrete, Reinforced Prefabricated Concrete

Item Code	Description
FRAMEBOSSXPM	FrameBoss™ XPM

Powder Accessories

JobMaster™

Part No	Description
---------	-------------

Power Loads

PLSYW22	Power Load	Power Load Strip Medium Yellow Bx100
PLSRD22	Power Load	Power Load Strip Strong Red Bx100

Standard Drive Pins for Concrete Masonry and Steel

Drive Pins designed for fastening to standard strength concrete, masonry and steel up to a maximum of 8mm. FOR USE WITH FrameBoss™, FrameMaster™, FormMaster™ & JobMaster™

Item Code	Shank Length (mm)	Head Diameter (mm)	Pack Qty
LDU25	25	8	100
LDU32	32	8	100
LDU50	50	8	100
LDU65	65	8	100
LDU75	75	8	100
LDU90	90	8	100
LDU99	100	8	100

Premium Drive Pins for Structural Steel

Premium Drive Pins designed for steel and hard concrete applications. The ballistic point design of these drive pins allows them to penetrate hard materials with less power while the strengthened shank greatly reduces the possibility of column collapse.

Item Code	Description	Pack Qty
SC950	Pin for fixing 35mm timber to steel	100
SC960	Pin for fixing 45mm timber to steel	100

Washed Pin Assemblies

Item Code	Shank Length (mm)	Head Diameter (mm)	Pack Qty
LWU32	32	22	100
LWU75	75	22	100

FrameBoss™ XPM

Part No	Description
---------	-------------

Power Loads

PLSYW22	Power Load	Power Load Strip Medium Yellow Bx100
PLSRD22	Power Load	Power Load Strip Strong Red Bx100

Standard Drive Pins for Concrete Masonry and Steel

LWU25	Single Pin	25MM WASHERED DRIVE PIN
LWU32	Single Pin	32MM WASHERED DRIVE PIN
LDU25	Single Pin	Drive Pins 3.8 X 25mm Bx100
LDU50	Single Pin	Drive Pins 3.8 X 50mm Bx100
LDU65	Single Pin	Drive Pins 3.8 X 65mm Bx100
LDU75	Single Pin	Drive Pins 3.8 X 75mm Bx100
LDU90	Single Pin	Drive Pins 3.8 X 90mm Bx100
LDU99	Single Pin	Drive Pins 3.8 X 100mm Bx100
SC950	Single Pin	Drive Pins Structural Steel 4.0 X 50mm Bx100
SC960	Single Pin	Drive Pins Structural Steel 4.0 X 60mm Bx100
SBR9	Single Pin	20mm Washered Decking Pin
C960C	Collated Pin	Standard Concrete 60mm Collated Drive Pins
C975C	Collated Pin	Standard Concrete 75mm Collated Drive Pins
SC950C	Collated Pin	Premium Concrete 50mm Collated Drive Pins
SC960C	Collated Pin	Premium Concrete 60mm Collated Drive Pins

Accessories

PA9316	Lubricant	Pa Tool Lubricating & Release Oil
011483	Piston Return Spring	
010983	Piston Insulation Buffer (2pk)	



**Specifiers Anchoring
Resource Book**



**iExpert Anchor Design
Software**



**ChemSet™ Cartridge
Volume Calculator**



Ramset™ | Ramset Drive, Chirnside Park 3116

Information in this document is correct at the time of printing. Readers should contact Ramset™ or consult Ramset™ detailed technical information to ensure product is suitable for intended use prior to purchase.

ITW Australia Pty Ltd ABN 63 004 235 063 trading as Ramset™

© Copyright 2026.™ Trademarks of Cetram Pty. Ltd. Used under license by Ramset™

Important Disclaimer: Any engineering information or advice ("Information") provided by Ramset™ in this document is issued in accordance with a prescribed standard, published performance data or design software. It is the responsibility of the user to obtain its own independent engineering (or other) advice to assess the suitability of the Information for its own requirements. To the extent permitted by law, Ramset™ will not be liable to the recipient or any third party for any direct or indirect loss or liability arising out of, or in connection with, the Information.

Contact & Support

For technical advice, product data, or system selection help, reach out to your local Ramset® representative or visit us online.

Australia: www.ramset.com.au | 1300 RAMSET

New Zealand: www.ramset.co.nz | 0800 RAMSET

Scan your region's QR code below for more info or to contact us directly.



ramset.com.au



ramset.co.nz